


# U Channels

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
CLA7.2B9.9T1.3	7.2	9.9	1.3	0.087	51.72	30.40
CLA8B9.3T0.65	8	9.3	0.65	0.047	50.83	16.35
CLA16B16T1.6	16	16	1.6	0.204	91.10	71.50
CLA19.6B19.6T1.3	19.6	19.6	1.3	0.207	113.40	72.70
CLA20B20T3	20	20	3	0.461	112.30	161.80
CLSA20B25T2.6	20	25	2.6	0.497	133.00	174.30
CLSA22.5B35T3.5	22.5	35	3.5	0.860	174.00	301.80
CLA23B15T1	23	15	1	0.145	102.80	51.00
CLA23B20T2	23	20	2	0.107	40.84	37.70
CLA24B7.5T2.4	24	7.5	2.4	0.234	72.20	82.00
CLSA24B12T1	24	12	1	0.130	92.73	45.72
CLA25B25T1.9	25	25	1.9	0.385	147.00	135.20
CLA25B25T3	25	25	3	0.590	143.00	207.00
CLA25B50T3	25	50	3	1.017	243.00	357.00
CLA25.5B12.8T1	25.5	12.8	1	0.140	99.17	49.02
CLSA26B15.5T0.7	26	15.5	0.7	0.112	111.40	39.34
CLSA28.8B35T3.5	28.8	35	3.5	0.932	187.00	327.00
CLA35B7.5T2.4	35	7.5	2.4	0.309	94.20	108.40
CLA35B13T2	35	13	2	0.325	118.00	114.00
CLA36B36T2.5	36	36	2.5	0.733	209.30	257.30
CLSA36.2B11.9T2	36.2	11.9	2	0.319	115.20	111.92
CLA38.2B12.8T1	38.2	12.8	1	0.177	124.20	62.00
CLA40B20T1.6	40	20	1.6	0.350	155.77	122.80

**A** = Width **B** = Height **T** = Thickness

**Finish** - Mill finish

**Grade** - 6060 - Alternative grades may be available

**Temper** - T6 - Alternative temper's may be available

**Length** - Stocked in 5.95m - Alternative lengths may be available


- Not all items will be available at all times - Please check with your local branch for current availability

Call **09 218 2188** for more details

**www.sdalu.co.nz**

# U Channels

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
CLA40B25T3	40	25	3	0.491	251.80	172.30
CLA44B50T4	44	50	4	1.550	278.30	543.80
CLA45B8T1.2	45	8	1.2	0.200	118.60	70.20
CLA46B20T2	46	20	2	0.467	168.00	164.00
CLA48B18.8T1	48	18.8	1	0.247	168.28	86.79
CLA48B75T8	48	75	8	4.150	380.00	1,456.00
CLA48.5B18.8T1	48.5	18.8	1	0.239	168.92	83.89
CLA49.5B38T3	49.5	38	3	1.021	243.97	358.42
CLA50B15T3	50	15	3	0.633	154.00	222.00
CLSA50B25T3	50	25	3	0.793	191.50	278.30
CLSA50B36T6	50	36	6	1.730	228.57	606.87
CLSA50B50T3	50	50	3	1.219	292.40	427.80
CLA50B50T3	50	50	3	1.231	292.96	431.92
CLA50.6B20T1	50.6	20	1	0.252	177.92	88.39
CLA51B13T1	51	13	1	0.213	151.00	74.80
CLA51.1B20T1	51.1	20	1	0.253	178.95	88.91
CLSA51.8B25T0.9	51.8	25	0.9	0.258	201.20	90.50
CLA57B15T3	57	15	3	0.693	168.00	243.00
CLA58B20T2	58	20	2	0.536	192.00	188.00
CLSA59B69T4	59	69	4	2.128	383.90	746.70
CLA65B25T4	65	25	4	1.220	222.00	428.00
CLA75B25T3	75	25	3	1.017	242.30	356.80
CLA75B40T3	75	40	3	1.273	302.30	446.80

**A** = Width **B** = Height **T** = Thickness

**Finish** - Mill finish

**Grade** - 6060 - Alternative grades may be available


**Temper** - T6 - Alternative temper's may be available

**Length** - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

# U Channels

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
CLA76.5B12.8T1.1	76.5	12.8	1.1	0.312	200.50	109.60
CLA80B36T5	80	36	5	2.028	291.51	711.60
CLA80B40T3	80	40	3	1.317	314.00	462.00
CLA80B40T5	80	40	5	2.137	308.97	749.92
CLA100B25T3	100	25	3	1.231	292.30	431.80
CLA100B50T5	100	50	5	2.707	388.97	949.92
CLSA100B60T5.5	100	60	5.5	3.429	426.00	1,203.00
CLA100B100T5	100	100	5	4.133	589.00	1450.00
CLA101.6B12.8T1.1	101.6	12.8	1.1	0.391	251.00	137.20
CLA116B40.5T5	116	40.5	5	2.555	382.51	896.50
CLSA150B65T6.5	150	65	6.5	5.068	537.64	1,778.30
CLA150B75T5	150	75	5	4.132	588.30	1,449.80
CLSA200B70T10	200	70	10	9.242	651.42	3,242.92
CLSA280B53T11	280	53	11	10.258	744.85	3,599.45
CLSA280B53T21	280	53	21	18.067	742.85	6,339.45

**A** = Width **B** = Height **T** = Thickness

**Finish** - Mill finish

**Grade** - 6060 - Alternative grades may be available

**Temper** - T6 - Alternative temper's may be available

**Length** - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability