


Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA15B12T1.2	15	12	1.2		0.168	54.00	59.04
RHRA17.8B13.8T1.4R2	17.8	13.8	1.4	2	0.226	59.80	79.14
RHRA18B14T2R1.5	18	14	2	1.5	0.314	61.43	110.10
RHRA18.5B13T1R1.3	18.5	13	1	1.3	0.165	60.86	57.87
RHA20B10T1.2	20	10	1.2		0.189	59.50	66.24
RHA20B12T1.2	20	12	1.2		0.202	64.00	71.00
RHA20B15T2	20	15	2		0.353	70.00	124.00
RHA21B12.5T1	21	12.5	1		0.180	66.50	63.00
RHA22B10T2	22	10	2		0.319	64.00	112.00
RHRA23B17T1.2R3	23	17	1.2	3	0.243	74.90	85.30
RHRA25B9T1.2R2	25	9	1.2	2	0.208	64.60	73.00
RHA25B15T1	25	15	1		0.217	79.50	76.00
RHRA25B15T2.5R2	25	15	2.5	2	0.496	76.60	174.20
RHA25B20T1	25	20	1		0.245	89.50	86.00
RHA25.4B12.7T0.9	25.4	12.7	0.9		0.186	75.69	65.34
RHA28B15T1	28	15	1		0.234	85.50	82.00
RHRA30B10T1.5R1.5	30	10	1.5	1.5	0.311	77.40	109.20
RHA30B10T2	30	10	2		0.405	79.00	142.00
RHA30B15T1.2	30	15	1.2		0.291	89.50	102.20
RHRA30B15T2R2.5	30	15	2	2.5	0.453	85.70	158.90
RHRA30B15T2.2R2	30	15	2.2	2	0.500	86.60	175.40
RHA30B18T1	30	18	1		0.262	95.50	92.00
RHRA30B18T1.5R2	30	18	1.5	2	0.375	92.56	131.58
RHA30B20T0.8	30	20	0.8		0.221	100.00	77.50

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHRA30B20T1R1.5	30	20	1	1.5	0.269	97.40	94.30
RHA30B20T1.2	30	20	1.2		0.325	99.50	114.20
RHRA30B20T1.6R1.5	30	20	1.6	1.5	0.422	97.40	147.90
RHA30B20T1.8	30	20	1.8		0.476	100.00	167.00
RHRA32B27T1.8R1	32	27	1.8	1	0.566	116.28	198.66
RHRA34.5B12T1.2R1	34.5	12	1.2	1	0.300	91.50	105.20
RHRA34.8B24.8T0.65R2	34.8	24.8	0.65	2	0.211	116.00	73.92
RHA35B20T0.5	35	20	0.5		0.154	109.50	54.00
RHRA35B25T1.5R3	35	25	1.5	3	0.471	114.85	165.20
RHA36B23T0.5	36	23	0.5		0.165	117.50	58.00
RHA37.2B24.2T1.1	37.2	24.2	1.1		0.371	122.30	130.24
RHRA38B7T1.2R1	38	7	1.2	1	0.289	88.30	101.50
RHA38B25T0.5	38	25	0.5		0.177	125.50	62.00
RHA38B25T0.6	38	25	0.6		0.211	126.00	74.16
RHA38B25T0.9	38	25	0.9		0.314	125.50	110.20
RHA38B25T1	38	25	1		0.348	126.00	122.00
RHA38B25T1.2	38	25	1.2		0.415	126.00	145.44
RHRA38B25T1.5R3	38	25	1.5	3	0.496	120.85	174.21
RHA38B25T2.0	38	25	2.0		0.672	125.14	235.86
RHRA38B25T2.5R3	38	25	2.5	3	0.805	120.85	282.49
RHA38B25T3	38	25	3		0.975	126.00	342.00
RHA38B25.4T0.9	38	25.4	0.9		0.317	126.50	111.10
RHA40B20T0.75	40	20	0.75		0.250	120.00	87.75
RHA40B20T0.9	40	20	0.9		0.298	119.49	104.68

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA40B20T1.2	40	20	1.2		0.394	119.50	138.20
RHRA40B20T1.6R2	40	20	1.6	2	0.509	116.60	178.54
RHRA40B20T2R2	40	20	2	2	0.629	116.57	220.64
RHA40B20T3	40	20	3		0.923	120.00	324.00
RHA40B25T2	40	25	2		0.695	130.00	244.00
RHRA40B25T2.5R3	40	25	2.5	3	0.834	124.85	292.49
RHA40B30T0.7	40	30	0.7		0.274	139.49	96.04
RHA40.6B23.6T0.8	40.6	23.6	0.8		0.286	128.40	100.20
RHA45B20T1.5	45	20	1.5		0.530	129.66	186.00
RHA45B25T0.6	45	25	0.6		0.235	140.00	82.56
RHA45B40T3	45	40	3		1.351	170.00	474.00
RHRA50B20T0.8R3	50	20	0.8	3	0.305	135.00	107.00
RHA50B25T0.6	50	25	0.6		0.252	149.50	88.56
RHA50B25T0.8	50	25	0.8		0.314	149.49	110.17
RHA50B25T1.2	50	25	1.2		0.496	150.00	174.20
RHA50B25T1.6	50	25	1.6		0.654	149.00	229.60
RHA50B25T2.5	50	25	2.5		0.998	150.00	350.00
RHA50B25T3	50	25	3		1.180	150.00	414.00
RHRA50B25T3R3	50	25	3	3	1.158	144.85	406.27
RHA50B30T1.2	50	30	1.2		0.531	160.00	186.20
RHA50B30T2	50	30	2		0.866	160.00	304.00
RHRA50B34T2R3.5	50	34	2	3.5	0.887	162.00	311.40
RHA50B35T3	50	35	3		1.351	170.00	474.00
RHA50B38.5T2	50	38.5	2		0.963	176.14	338.00

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA50B40T2	50	40	2		0.980	180.00	344.00
RHRA50B40T2R3	50	40	2	3	0.961	174.85	337.13
RHA50.2B25.4T0.9	50.2	25.4	0.9		0.378	150.70	132.80
RHA50.8B38.1T0.9	50.8	38.1	0.9		0.447	177.30	156.80
RHRA51B39T1.8R1.5	51	39	1.8	1.5	0.881	177.43	309.11
RH54.7B11T0.7	54.7	11	0.7		0.257	131.40	90.00
RHA55B9T1.3	55	9	1.3		0.455	127.50	159.56
RHA55B22T0.7	55	22	0.7		0.302	153.49	105.84
RHA55B30T1	55	30	1		0.473	170.00	166.00
RHRA55.5B11.2T0.8R1.5	55.5	11.2	0.8	1.5	0.297	130.82	104.16
RHA60B20T1.2	60	20	1.2		0.531	159.50	186.20
RHRA60B25T1.3R3	60	25	1.3	3	0.596	164.85	209.00
RHRA60B25T1.5R3	60	25	1.5	3	0.701	164.90	246.00
RHRA60B26T2R5	60	26	2	5	0.896	163.42	314.27
RHA60B40T2	60	40	2		1.094	200.00	384.00
RHRA60B40T2R3	60	40	2	3	1.075	195.00	377.13
RHA60B40T2.5	60	40	2.5		1.354	199.50	475.00
RHA60B40T3	60	40	3		1.607	199.20	563.90
RHA60B40T3.8	60	40	3.8		2.001	200.00	702.24
RHA60B40T4	60	40	4		2.098	200.00	736.00
RHRA60B40T5R2	60	40	5	2	2.555	196.57	896.57
RHRSA65B16T1.2R2	65	16	1.2	2	0.340	161.50	119.30
RHA69.9B19.9T0.9	69.9	19.9	0.9		0.451	179.00	158.31
RHA70B30.2T1	70	30.2	1		0.450	199.89	157.76

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA71.6B21.3T1	71.6	21.3	1		0.518	185.29	181.80
RHA75B25T2.2	75	25	2.2		1.199	199.20	420.70
RHA75B40T2	75	40	2		1.265	230.00	444.00
RHA75B45T0.8	75	45	0.8		0.507	239.50	177.80
RHA76B25T1.2	76	25	1.2		0.674	201.50	236.60
RHA76B25T1.5	76	25	1.5		0.838	201.50	294.00
RHA76B44T0.7	76	44	0.7		0.473	240.00	166.00
RHA76B44T1	76	44	1		0.673	240.00	236.00
RHA76B44T1.2	76	44	1.2		0.804	240.00	282.20
RHA76B44T1.4	76	44	1.4		0.935	240.00	328.00
RHA76B44T1.5	76	44	1.5		1.000	240.00	351.00
RHA76B44T2	76	44	2		1.322	240.00	464.00
RHA76.2B25.4T0.9	76.2	25.4	0.9		0.512	202.70	179.60
RHA76.2B44.5T0.9	76.2	44.5	0.9		0.610	240.80	214.00
RHRA77B32T2.7	77	32	2.7	3	1.573	212.85	551.80
RHR178.6B35.4T2R3	78.6	35.4	2	3	1.234	22.85	433.13
RHA79.5B19.9T0.85	79.5	19.9	0.85		0.473	198.00	166.10
RHA80B20T0.7	80	20	0.7		0.449	199.50	157.50
RHA80B40T0.9	80	40	0.9		0.573	240.00	201.11
RHA80B40T1.5	80	40	1.5		1.000	240.00	350.90
RHA80B40T1.8	80	40	1.8		1.194	240.00	419.00
RHRA80B40T2R3	80	40	2	3	1.303	243.85	457.13
RHA80B50T2	80	50	2		1.436	259.50	504.00

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available


- Not all items will be available at all times - Please check with your local branch for current availability

Call **09 218 2188** for more details

www.sdalu.co.nz

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA80B50T3	80	50	3		2.120	260.00	744.00
RHRA80B50T3R3	80	50	3	3	2.098	254.85	736.28
RHA80B60T6	80	60	6		4.378	280.00	1,536.00
RHA90B25T4	90	25	4		2.440	229.50	856.00
RHA90B50T2	90	50	2		1.550	279.14	543.86
RHA90B60T3	90	60	3		2.384	300.00	836.50
RHRA90B60T5R5	90	60	5	Iner5	4.051	300.00	1,421.46
RHA100B15T1.2	100	15	1.2		0.770	229.50	270.20
RHA100B19.7T1.4	100	19.7	1.4		0.933	238.50	327.20
RHSA100B19.7T1.4	100	19.7	1.4		0.949	238.50	333.10
RHA100B20T0.8	100	20	0.8		0.540	240.00	189.44
RHA100B20T1.2	100	20	1.2		0.804	239.49	282.24
RHA100B25T1.5	100	25	1.5		1.043	250.00	366.00
RHA100B25T2.5	100	25	2.5		1.710	249.20	600.00
RHA100B30T1.5	100	30	1.5		1.086	260.00	381.00
RHA100B40T0.9	100	40	0.9		0.709	280.00	248.76
RHA100B44T1	100	44	1		0.809	288.00	284.00
RHA100B44T1.2	100	44	1.2		0.968	288.00	339.80
RHA100B44T1.4	100	44	1.4		1.127	288.00	395.40
RHA100B44T3	100	44	3		2.360	288.00	828.00
RHA100B45T0.8	100	45	0.8		0.613	289.49	215.17
RHA100B45T4	100	45	4		3.124	290.00	1096.00
RHA100B50T2.5	100	50	2.5		2.066	300.00	725.00

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA100B50T3	100	50	3		2.462	300.00	864.00
RHRA100B50T3R3	100	50	3	3	2.440	294.85	856.28
RHA100B50T6	100	50	6		4.719	299.20	1,655.90
RHRA100B55T2.5R1.5	100	55	2.5	1.5	2.135	307.00	749.00
RHA100B60T2	100	60	2		1.778	320.00	624.00
RHA100B80T1.8	100	80	1.8		1.810	360.00	635.00
RHA100B80T2	100	80	2		2.006	360.00	704.00
RHA101.6B25.4T0.9	101.6	25.4	0.9		0.642	253.50	225.40
RHA101.6B44.5T0.9	101.6	44.5	0.9		0.659	291.60	231.12
RHA120B25T4	120	25	4		3.124	290.00	1,096.00
RHA120B60T2	120	60	2		2.006	360.00	704.00
RHA120B60T2.9	120	60	2.9		2.880	360.00	1,010.40
RHA120B60T5	120	60	5		4.845	360.00	1700.00
RHA120B60T6	120	60	6		5.746	360.00	2,016.00
RHRA120B66T3.9R2	120	66	3.9	2	3.962	369.00	1,390.00
RHA120B80T6	120	80	6		6.430	400.00	2256.00
RHA125B40T3	125	40	3		2.719	329.20	954.00
RHA150B50T2.5	150	50	2.5		2.779	400.00	975.00
RHA150B50T3	150	50	3		3.317	400.00	1,164.00
RHA150B100T2.5	150	100	2.5		3.445	500.00	1,208.92
RHA160B60T4	160	60	4		4.834	440.00	1,696.00
RHA160B60T5	160	60	5		59.85	440.00	2100.00

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Rectangle Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHRA160B150T6R10	160	150	6	10	9.600	602.83	3503.90
RHA180B80T3	180	80	3		4.340	520.00	1524.10
RHA200B30T2.8	200	30	2.8		3.519	460.00	1,234.75
RHA200B50T3	200	50	3		4.172	500.00	1,464.00
RHA200B100T3	200	100	3		5.027	600.00	1,764.00
RHA250B50T3	250	50	3		5.027	600.00	1,764.00

A = Width **B** = Height **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability