


Square Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHA12T1	12	1		0.125	48.00	44.00
SHA15T1	15	1		0.160	60.00	56.00
SHA15T1.2	15	1.2		0.189	60.00	66.24
SHA15T1.5	15	1.5		0.231	60.00	81.14
SHA16T1.3	16	1.3		0.218	64.00	76.44
SHRA16T1.8R2.8	16	1.8	2.8	0.314	58.85	110.00
SHA18T2.2	18	2.2		0.396	72.00	139.00
SHA19T0.8	19	0.8		0.166	76.00	58.40
SHA19T1	19	1		0.205	76.00	72.00
SHA19T1.2	19	1.2		0.244	76.00	85.44
SHRA19T1.2R2	19	1.2	2	0.235	72.57	82.56
SHA19T1.6	19	1.6		0.317	75.14	111.36
SHRA19T2R2	19	2	2	0.378	72.60	132.64
SHA20T0.55	20	0.55		0.122	80.00	42.79
SHA20T0.7	20	0.7		0.154	80.00	54.00
SHA20T1.2	20	1.2		0.257	80.00	90.24
SHRA20T1.6R2	20	1.6	2	0.326	76.57	114.46
SHRA20T1.8R2	20	1.8	2	0.364	76.57	127.70
SHRA20T1.9R1	20	1.9	1	0.390	78.28	136.80
SHA20T2	20	2		0.410	80.00	144.00
SHRA21T1.8R2.8	21	1.8	2.8	0.418	79.30	146.52
SHA22T0.75	22	0.75		0.182	87.00	63.75
SHA22T1.1	22	1.1		0.262	87.50	91.96
SHRA23T2R2.5	23	2	2.5	0.464	87.70	162.71
SHA24.8T1.5	24.8	1.5		0.398	98.69	139.80
SHA24.8T1.8	24.8	1.8		0.472	98.68	165.60
SHA25T0.6	25	0.6		0.167	99.50	58.56

A = Width **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Call **09 218 2188** for more details

www.sdalu.co.nz

Square Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHA25T0.8	25	0.8		0.207	99.49	72.67
SHA25T1.2	25	1.2		0.326	100.00	114.24
SHRA25T1.5R2	25	1.5	2	0.393	96.60	137.80
SHRA25T1.8R2	25	1.8	2	0.463	95.80	162.30
SHA25T2	25	2		0.524	100.00	184.00
SHRA25T2R2	25	2	2	0.510	95.76	179.00
SHRA25T2R3	25	2	3	0.505	94.85	177.13
SHRA25T2.5R2	25	2.5	2	0.626	95.76	219.60
SHRA25T3R3	25	3	3	0.731	94.85	256.35
SHA25T3	25	3		0.752	100.00	264.00
SHA25.4T0.9	25.4	0.9		0.251	101.10	88.20
SHA28T2	28	2		0.593	111.50	207.92
SHRA28.5T1.8R2.5	28.5	1.8	2.5	0.533	109.70	187.10
SHA29.5T0.65	29.5	0.65		0.214	118.00	75.00
SHA30T0.8	30	0.8		0.299	120.00	104.76
SHA30T1.9	30	1.9		0.609	119.50	213.56
SHRA30T2R2	30	2	2	0.629	116.57	220.64
SHRA30T2R3	30	2	3	0.619	114.85	217.13
SHA30T30	30	3		0.923	119.50	324.00
SHA31.8T0.9	31.8	0.9		0.317	126.50	111.10
SHRA32T1.2R3	32	1.2	3	0.407	122.85	142.90
SHRA32.1T1.5R3	32.1	1.5	3	0.491	123.34	172.23
SHRA33T3R5	33	3	5	0.975	123.42	341.97
SHRA34T1.6R3	34	1.6	3	0.574	130.85	201.32
SHRA35T1.6R1.5	35	1.6	1.5	0.605	137.40	212.30
SHRA36T1.5R1	36	1.5	1	0.588	142.30	206.40
SHA38T0.6	38	0.6		0.256	152.00	89.80

A = Width **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Square Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHA38T0.9	38	0.9		0.382	151.90	133.92
SHA38T1	38	1		0.422	151.50	148.00
SHA38T1.3	38	1.3		0.544	151.50	190.84
SHA39T0.8	39	0.8		0.348	156.00	122.24
SHA39.5T0.8	39.5	0.8		0.353	157.50	123.90
SHA40T0.8	40	0.8		0.358	160.00	125.44
SHA40T1.2	40	1.2		0.531	160.00	186.24
SHA40T1.5	40	1.5		0.658	160.00	230.92
SHA40T2	40	2		0.866	160.00	304.00
SHRA40T2R3	40	2	3	0.847	154.85	297.13
SHRA40T2R3.5	40	2	3.5	0.842	154.00	295.40
SHRA40T2.5R3.5	40	2.5	3.5	1.041	154.00	365.30
SHA40T3	40	3		1.265	160.00	444.00
SHRA40T3R3	40	3	3	1.243	154.85	436.27
SHA40T4	40	4		1.642	160	576
SHA44.5T0.9	44.5	0.9		0.447	177.30	156.78
SHA45T0.6	45	0.6		0.304	180.00	106.56
SHA45T0.8	45	0.8		0.378	179.49	132.67
SHRA45T1.6R2	45	1.6	2	0.783	176.60	274.60
SHRA45T2R3.5	45	2	3.5	1.783	174.00	335.42
SHA50T0.8	50	0.8		0.449	199.50	157.44
SHA50T1.2	50	1.2		0.667	199.50	234.20
SHA50T2	50	2		1.094	200.00	384.00
SHRA50T2R3	50	2	3	1.075	194.85	377.13
SHA50T2.5	50	2.5		1.356	200.00	475.86
SHA50T3	50	3		1.607	200.00	564.00
SHRA50T3R3	50	3	3	1.585	194.85	556.28

A = Width **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available


- Not all items will be available at all times - Please check with your local branch for current availability

Call **09 218 2188** for more details

www.sdalu.co.nz

Square Hollows

Aluminium Extrusions



ORDER CODE	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHA50T4	50	4		2.098	200.00	736.00
SHA60T1.2	60	1.2		0.804	239.50	282.20
SHA60T2	60	2		1.322	240.00	464.00
SHA60T2.5	60	2.5		1.639	240.00	575.00
SHRA60T2.7R3.5	60	2.7	3.5	1.735	234.00	608.90
SHA60T6	60	6		3.694	240.00	1296.00
SHRA65T2.5R3	65	2.5	3	1.760	254.85	617.49
SHA75T1.6	75	1.6		1.339	299.20	469.80
SHRA75T3R3	75	3	3	2.440	294.85	856.27
SHA80T1.5	80	1.5		1.342	320.00	471.00
SHA80T1.8	80	1.8		1.605	320.00	563.04
SHRA80T2.5R3.5	80	2.5	3.5	2.181	314.00	765.34
SHRA80T5R10	80	5	10	4.092	302.80	1435.62
SHA90T1.6	90	1.6		1.810	360.00	635.10
SHA90T1.8	90	1.8		1.810	360.00	635.10
SHA100T0.85	100	0.85		0.961	400.00	337.10
SHA100T1.3	100	1.3		1.463	400.00	513.27
SHA100T2	100	2		2.234	400.00	784.00
SHA100T3	100	3		3.317	400.00	1164.00
SHA100T4	100	4		4.378	400.00	1536.00
SHA100T5	100	5		5.415	400.00	1900.00
SHA150T3	150	3		5.027	600.00	1764.00

A = Width **T** = Thickness **R** = Radius

Finish - Mill finish

Grade - 6060 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 5.95m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability