



FENCE CATALOGUE

Speicalizing in Aluminium Industry

www.sdalu.co.nz

Edition 2020



8 Arrenway Drive

Rosedale

09-218-2188

Call us

09-218-2188

Address

8 Arrenway Drive, Rosedale




Table of Content

1.	Company Introduction	4 - 5
2.	Steel Y Post	6
3.	Fence Accessories	7-8
4.	Sheep Fence	9
5.	Temporary Fence	10-11

Welcome to SD Aluminium Extrusion Catalogue

20 years experience

Perfectional in Aluminium Industry
Advance manufacture
technolodge

689 employees

Fast Delivery to your location
Massave orders from overseas

5000+ products

5mm - 600mm range die
Customized die as requird



About us and our Company

Specialist design support

SD Aluminium's team of highly experienced engineers can assist with every stage of your project, from design and prototyping, through to production and installation.



A company
that focus
on quality
and service
in aluminium
industry.

Extensive Inventory

SD Aluminium provide a wide range of extensions products, resulting in a large inventory with hundreds of different kinds suited for projects in the construction, marine and transport industries and more.

Locally Based

SD Aluminium are based right here in Auckland, New Zealand. They know the local market inside out, and are only a phone call away.

Steel Y Post Fence



ORDER CODE	A (m)	Holes	Finish
SYP0.45M	0.45	4	Painted Black
SYP0.6M	0.60	4	Painted Black
SYP0.8M	0.80	11	Painted Black
SYP0.9M	0.90	12	Painted Black
SYP1.2M	1.20	12	Painted Black
SYP1.35M	1.35	11	Painted Black
SYP1.5M	1.50	14	Painted Black
SYP1.65M	1.65	14	Painted Black
SYP1.8M	1.80	14	Painted Black
SYP2.4M	2.40	21	Painted Black
SYP2.7M	2.70	22	Painted Black
SYP3M	3.00	22	Painted Black

Galvanized Y Post Fence



ORDER CODE	A (m)	Holes	Finish
SYPZ0.6M	0.60	4	Galvanized
SYPZ0.8M	0.80	11	Galvanized
SYPZ1.8M	1.80	14	Galvanized

A = Length

Finish - Paint Black & Galvanized

- Not all items will be available at all times - Please check with your local branch for current availability

Fence Accessories



Post Rammer

Y-Post Rammer

- Easy and safe to ram waratahs or posts than using a sledge hammer.

Specifications

Order Code:	SL45
Length:	60cm
Outside Dia:	76mm approximately
Inside Dia:	69mm approximately
Weight:	7.5Kg
Surface:	Paint Red



Post Lifter

Fence Post Lifter

- This is a quality strong workmanship standard steel post lifter. It can help you remove steel poles from sturdy soil easily with effortless.
-
- It is harmonious with all metal fence posts. It is powder coated surface and anti-rust steel post lifter.
-
- Remove steel poles from hard soil with effortless

Specifications

Order Code:	SL47
Product Dimensions:	82cm x 20.5cm x 36cm
Package Dimensions:	81cm x 22cm x 6.5cm
Net Weight:	Approx. 6.26Kg
Gross Weight:	Approx. 6.64Kg

Fence Accessories



Wire Strainer

Chain Wire Strainer

- High tensile available
- The 2m galvanised chain with the galvanised anchor hook.
- The Galvanised treatment makes the strainer for long life.
- The casted claw locked on to the chain with high quality rivets,so high tensile is available and the claw can rotate an arbitrary direction.

Specifications

Order Code:	SL46
Chain length:	2M
Weight:	1000kgs
Material:	Galvanised Steel



Triangle Safety Cap

Round Safety Cap

Safety Cap

- Covers exposed sharp edges
- Safe and secure
- Includes ties
- Prevent injury on site by covering those sharp edges on Y-Posts with safety caps.

Specifications

Order Code:	SL21/SL20
Fits for:	16mm steel rods as well as Y-Posts
Color:	Bright Yellow
Material:	Virgin Polypropylene
Shape:	Triangle and Round

Sheep Fence



Sheep Fencing

150CM High Sheep Fencing -- Heavy Duty

- Suitable perimeter fences for sheep are multi-strand, high-tensile, electric fences and woven wire fences with electric offset wires and barbed wires at the top and bottom of the fence.
- Interior fences (or cross fences) are used to subdivide fields into smaller areas (paddocks) for grazing.

Specifications

Order Code:	FSFH1.5L50
Height:	1500mm
Length:	50M
Weight:	26Kg
Material:	Steel Wire
Wire Thickness:	2.5mm dia
Vertical Wires Spacing:	100mm
Surface Treatment:	Hot Dip Galvanized



Sheep Fencing

120CM High Sheep Fencing -- Heavy Duty

- Suitable perimeter fences for sheep are multi-strand, high-tensile, electric fences and woven wire fences with electric offset wires and barbed wires at the top and bottom of the fence.
- Interior fences (or cross fences) are used to subdivide fields into smaller areas (paddocks) for grazing.

Specifications

Order Code:	FSFH1.2L50
Height:	1200mm
Length:	50M
Weight:	24Kg
Material:	Steel wire
Wire Thickness:	2.5mm dia
Vertical Wires Spacing:	100mm
Surface Treatment:	Hot Dip Galvanized

Temporary Fence



Chain Link Fence

Hot Dip galvanized Chainlink Fence

Specifications

Order Code:	CFH0.9L20
Length:	20M
Height:	0.9M
Weight:	30Kg
Diamond Spacing:	50mm x 50mm
Wire Thickness:	2.5mm
Surface Treatment:	Hot Dip Galvanized



Chain Link Fence

PVC coated Metal Chainlink Fence

Specifications

Order Code:	CFH0.9L20PVC
Length:	20M
Height:	0.9M
Weight:	27Kg
Diamond Spacing:	50mm x 50mm
Wire Thickness:	2.5mm
Surface Treatment:	PVC Coated



Orange Safety Mesh

Orange Safety Mesh

- High visibility
- Crowd control applications
- Ideal for any application where a more durable warning barrier fence is desired

Specifications

Order Code:	SMW1L50RED
Length:	50M
Height:	1M
Weight:	8 kg
Material:	100gsm Polyethylene
Color:	Red

Temporary Fence



Temporary Fence

Temporary Fence

Specifications

Order Code:	TFH2.1L2.4
Height:	2.1M
Length:	2.4M
Tubing:	32mm OD / 1.35mm
Wire Mesh:	3.0mm wire
Mesh Dimensions:	150mm x 60mm
Weight:	13.5kg
Surface Treatment:	Hot Dip Galvanized



Bracing

Bracing

Braces are an essential part of setting up a fence, they are generally used on steep or uneven sections to stabilize the other panels.

Specifications

Order Code:	TFH2.1L2.4BR
Height:	1.8M
Tubing:	32mm OD
Surface Treatment:	Hot Dip Galvanized



Concrete Filled Foot

Concrete Filled Feet

Our Feet are bright orange for visibility reasons and are made of tough plastic shells filled with concrete. This provides a 28kg durable and heavy base which will hold the fence panels up in most conditions.



Clamps

Clamps

Clamps are there to hold the temporary fence panels together and also creates rigidity between the panels.